roketsan

ARTILLERY ROCKETS



TR-107 Rocket

TR/TRB-122 Rocket

ROKETSAN Artillery Rockets provide fire power to maneuvering forces, with minimum dispersion and maximum warhead effectiveness on targets between the ranges of 3-40 km.

TECHNICAL SPECIFICATIONS OF TR-107	
Diameter	107 mm
Weight	20 kg
Minimum Range	3 km [at Sea Level]
Maximum Range	11 km [at Sea Level]
Propellant Type	Reduced Smoke Composite Solid
Warhead Type	High Explosive + Fragmentation
Warhead Weight	8,4 kg
Warhead Effectiveness Radius	≥14 m
Fuze Type	Point Detonating

TECHNICAL SPECIFICATIONS OF TR-122	
Diameter	122 mm
Weight	66 kg
Minimum Range	16 km [at Sea Level] 21 km [at 600 m ASL*] 10 km [with Drag Ring]
Maximum Range	36 km [at Sea Level] 40 km [at 600 m ASL*]
Propellant Type	Composite Solid
Warhead Type	High Explosive + Fragmentation
Warhead Weight	18,4 kg
Warhead Effectiveness Radius	≥ 20 m
Fuze Type	Point Detonating

POD

The pod, provides easy load & fire capability to Launcher, and rocket can be stored and transported in it. A Sealed Pod contains 20 pcs. ready to fire rockets / 12 pcs. guided rockets

It Provides Advantages Such As:	
Protection against Adverse Weather and Environmental Conditions	
Extended Shelf Life	
Easy Transportation	
Fast and Easy Loading and Unloading	
Quick Reaction Time	
Maintenance Free	
Built-In Test Capability	

TECHNICAL SPECIFICATIONS OF TRB-122		
Diameter	122 mm	
Weight	66 kg	
Minimum Range	16 km [at Sea Level] 21 km [at 600 m ASL*] 10 km [with Drag Ring]	
Maximum Range	36 km [at Sea Level] 40 km [at 600 m ASL*]	
Propellant Type	Composite Solid	
Warhead Type	High Explosive + Steel Bal	
Warhead Weight	18 kg	
Warhead Effectiveness Radius	≥ 40 m	
Fuze Type	Point Detonating and Proximity	

*ASL Above Sea Level



Phone : + 90 [312] 860 55 00
Fax : + 90 [312] 863 42 08
e-mail : pazarlama@roketsan.com.tr
web : www.roketsan.com.tr